Europe / Africa Partners | Where To Buy





PRODUCT NUMBER: 250000XR0302 CHAINEX 2000 with textile strap

CHAINEX 2000 with textile strap

Honeywell

Overview

Reference Number

250000XR0302

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut and Stab resistant

Brand

Honeywell

Brand formerly known as

CHAINEX

Industry

• Agriculture • Fishing • Food Industries • Paper Industries • Textile Industries

Product Use

Works when using knives or cutting and/or punching tools

Features & Benefits

Feature

PROTECTION AND DURABILITY: Exceptionnal quality of the CHAINEX chainmesh

Benefit

Reduces significantly the number of repairs compared with what is generally recorded on the market providing a reinforced protection.

Feature

COMFORT: the extra smooth textile straps

Benefit

The gloves adapt to all morphologies and guarantee comfort and ergonomics

Feature

Reversible model

Benefit

Easy to use.

Technical Description

Description

Protected area: hand

Fastening by textile strap with press-button and adjustable buckle

Chainmail in stainless steel AISI 316L diam 0.5 mm

External diameter of the ring 4 mm

Version : reversible

Product Technology

Metal Mesh

Sizes

:	Size	Color code	Total length +/- 8 mm	Net weight (gr)
0	XXS	Brown	208	129
1	XS	Green	220	138
2	S	White	232	152
3	M	Red	245	168
4	L	Blue	257	185
5	XL	Orange	270	195
6	XXL	Olive	280	219

Packaging Label

Tagging

Every glove is packaged in a bag or a case on which is pasted a tag indicating the model, together with a multilingual instruction for use in 21 languages

Certifications

EU Category PPE

2

Quality Assurance

ISO 9001 / 2000

EU Certification

EC Attestation

Certifications

• Other ISO 13999-1

Maintenance

CHAINEX 2000 with textile strap - 250000XR0302

Storage Information

After cleaning, store the gloves in a cool, dry and well ventilated place

Care Instructions

To ensure optimum protection, Chainex2000 gloves should be kept in perfect condition for use.

At least once a day Chainex gloves should be scrubbed vigourosly at least once a day with hot soapy water (50°C) or in a mixture of hot water (50°C) and detergent.

Rinsing at 82°C minimum. Desinfection with an approved product.

They can also be cleaned in a washing machine.

Do not clean chainmail protective gloves and metal chainmail protective gloves by knocking them against a hard surface.

Any glove showing signs of abnormal wear or missing chainmail must be replaced immediately by a glove in good condition.

Only the manufacturer is authorised to repair defective gloves or to declare a glove beyond repair.

Parts & Accessories

Spare Parts File

Spare Parts File

© Honeywell International Inc.