

In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers:

EC-TYPE EXAMINATION CERTIFICATE 0075/797/162/08/13/0760 - EXT 04/04/15

To the following model of personal protective equipment:

* reference of the model :

LA132G

* protective glove against

mechanical risks, chemical risks and micro-organisms.

* Manufacturer !

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on April 22th, 2015 Update 01 of March 21th, 2016

Issued by Lionel GAUDILL



1/5

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index: 02

Reference: LA132G

Major Variant of the model: LA102G

Dated: March 2016

Gloves 5 fingers nitrile 100% 330mm.

Available sizes:

07/S 08/M 9/L 10/XL 11/XXL

Visual description:



Material:

| | Color | Material | Gauges | Thickness |
|------------|-------|----------|--------|-----------|
| PALM | Green | Nitrile | | 0.38mm |
| BACK Green | | Nitrile | | 0.38mm |
| CUFF | Green | Nitrile | | 0.38mm |



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

* EN 420:2003+A1:2009

- General requirements for gloves and test methods

* EN 388:2003

- Protective glove against mechanical risks

* EN 374-2:2003

- Protection gloves against chemicals and micro-organisms

* EN 374-3:2003

- Protection gloves against chemicals and micro-organisms

- * At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)
- * This product is a category III (letal or irreversible risk).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

| Laboratory | стс | Other |
|------------|-----------------------------|-------|
| EN 420 | 1305-8601/1 , 1310-17012 | |
| EN 388 | L160100140_2 , L160100142_2 | |
| EN 374-2 | L160100140_2 , L160100142_2 | |
| EN 374-3 | L160100392_1 , L160100394_2 | |
| OTHER | 1305-8601/1 , 1310-17012 | |

Performance levels offered against mechanical risks (EN 388:2003) are:

| Abrasion resistance | Blade cut resistance | Tear strength resistance | Puncture resistance |
|---------------------|----------------------|--------------------------------|---------------------|
| 3 | 1 | 0 | 1 |

The levels of performance have been measured on the palm



Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:

| Protection offered | Performance levels | | |
|--------------------------|--------------------|--|--|
| Water tighness | conform | | |
| Air tighness | conform | | |
| Quality acceptable level | level 2 : < 1,5 | | |

This glove is considered as micro-organism resistant.

Performance levels offered against chemicals (EN 374-3:2003) are:

| Name of chemicals | n-heptane | Soude caustique 40% | Acide Sulfurique 96% | | |
|-------------------------------|-----------|---------------------------|----------------------------|--|--|
| Letter code of the product | J | К | L | | |
| Permeation performance levels | 6 | 6 | 3 | | |



3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **(€** marking
- * reference of the model: LA132G
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for chemicals and micro-organisms risks
- * information pictogram

Marking example:

